

Order No.: 5TS9092AQ | **GTIN (EAN):** 4039806858191

Product description: trunk.rail/add.feed,galv.st,coat,wh



housing accessories, for Modario® IP64, trunking rail, additional feed-in/-out, of steel, galvanised, coated, pure white, 5x system unit, length: 1.495 mm, width: 58 mm, height: 43mm, through-wiring: 10x 2.5mm², protection rating (complete): for IP64 protection rating, insulation class (complete): insulation class I (protective earthing), certification: CE, UKCA, packaging unit: 1 piece



Wt. (kg): 2.3
GTIN (EAN): 4039806858191



Order No.: 5TS9092AQ | GTIN (EAN): 4039806858191

Detailed technical description: trunk.rail/add.feed,galv.st,coat,wh



Key data

- Product type: housing accessories
- Product name: Modario® IP64
- Order No.: 5TS9092AQ

Certificates, Standards

- Protection rating: for IP64 protection rating
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE, UKCA

Material, Colour

- trunking rail, additional feed-in/-out: steel, galvanised, coated, pure white, 5x system unit
- Colour specification: pure white

Mounting

- Supplement: for trunking rail

Electrical connection


- Through-wiring: 10x 2.5mm²

Dimensions, Weight

- System units: 5x SE
- Length: 1495mm
- Width: 58mm
- Height: 43mm
- Weight: 2.3kg

Order No.: 5TS9092AQ | GTIN (EAN): 4039806858191

Dimensions: [trunk.rail/add.feed,galv.st,coat,wh](#)



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 12.05.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -