


Order No.: 5NW13991KB | **GTIN (EAN):** 4039806449627

Product description: SMI,900,fresn-refl100,PMMA,alu,spec



secondary reflector, for SITECO Mirrortec Indoor, ball-and-socket joint
pendant suspension, housing, circular, of aluminium, coated, metallic grey
(RAL 9006), fresnel reflector 100, of PMMA, aluminized, highly specular, light
point resolution, fresnel structure, diameter: 900 mm

Wt. (kg): 9.6
GTIN (EAN): 4039806449627



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 17.08.2026 - Modifications and errors subject to change - Ensure that you always use the latest version -

Order No.: 5NW13991KB | **GTIN (EAN):** 4039806449627

Detailed technical description: SMI,900,fresn-refl100,PMMA,alu,spec



Key data

- Product type: secondary reflector
- Product name: SITECO Mirrortec Indoor
- Order No.: 5NW13991KB

Lighting technology | Lamps | Control gear

Component 2

Lighting technology:

- Light control: fresnel reflector 100 of PMMA, aluminized, highly specular
- Glare reduction: light point resolution, fresnel structure
- Beam angle: narrow distribution
- Symmetry: symmetric distribution

Material, Colour

- ball-and-socket joint pendant suspension: aluminium, coated, metallic grey (RAL 9006), circular
- housing: aluminium, coated, metallic grey (RAL 9006), circular

Mounting



- Mounting method, mounting location: suspended mounting, to the ceiling, to the wall
- Arrangement: single arrangement

Dimensions, Weight

- Diameter: 900mm
- Weight: 9.6kg

Order No.: 5NW13991KB | **GTIN (EAN):** 4039806449627

Dimensions: SMI,900,fresn-refl100,PMMA,alu,spec



ø919