



Order No.: 5NY24621XS08 | GTIN (EAN): 4039806213990

Product description: mastarmØ76,1 arm,L210Ø60,galv,DB702S




mast arm, arm, of steel, galvanised and coated, Siteco® metallic grey (DB 702S), 1-arm, offset, support bracket short, spigot size: 76mm (post-top), bracket dimensions: 210mm, packaging unit: 1 piece

Wt. (kg): 7.2
GTIN (EAN): 4039806213990



Order No.: 5NY24621XS08 | GTIN (EAN): 4039806213990

Detailed technical description: mastarmØ76,1arm,L210Ø60,galv,DB702S



Key data

- Product type: mast arm
- Product name: without family assignment
- Order No.: 5NY24621XS08

Material, Colour


- arm: steel, galvanised and coated, Siteco® metallic grey (DB 702S), support bracket short
- Colour specification: Siteco® metallic grey (DB 702S)

Dimensions, Weight

- Weight: 7.2kg
- Mast spigot: spigot size: 76mm

Order No.: 5NY24621XS08 | GTIN (EAN): 4039806213990

Dimensions: mastarm \varnothing 76,1arm,L210 \varnothing 60,galv,DB702S



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 07.07.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -