

Order No.: 5TR9092AH | **GTIN (EAN):** 4039806590077


Product description: Mod-cent.feed-I/O,L1196,4su,20x2.5²,wh



Modario®, additional feed, wiring, with 20x 2-fold terminal 1.5..2.5mm², for infeed, through-wiring: 10x 2.5mm², trunking rail element, of steel, coated, pure white, 4x system unit, length: 1.196mm, width: 58mm, height: 43mm, insulation class (complete): insulation class I (protective earthing), certification: CE, UKCA, packaging unit: 1 piece



Wt. (kg): 2.0
GTIN (EAN): 4039806590077



Order No.: 5TR9092AH | GTIN (EAN): 4039806590077

Detailed technical description: Mod-cent.feed-I/O,L1196,4su,20x2.5²,wh



Key data

- Product type: additional feed
- Product name: Modario®
- Order No.: 5TR9092AH

Certificates, Standards

- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE, UKCA

Material, Colour

- trunking rail element: steel, coated, pure white, 4x system unit
- Colour specification: pure white

Electrical connection


- Connection: 20x 2-fold terminal 1.5..2.5mm², for infeed
- Through-wiring: 10x 2.5mm²

Dimensions, Weight

- System units: 4x SE
- Length: 1196mm
- Width: 58mm
- Height: 43mm
- Weight: 2.0kg

Order No.: 5TR9092AH | GTIN (EAN): 4039806590077

Dimensions: Mod-cent.feed-I/O,L1196,4su,20x2.5²,wh



It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de)

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 15.04.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -