

Order No.: 5EA40EH01 | GTIN (EAN): 4058352450178

Product description: SConWi,SmartPlugMotionHigh



SITECO Connect Wireless Smart Plug Motion High, Smart Interface below, installation type: screw fastening, installation location: to the luminaire, of plastic, voltage: 24V, voltage type: DC, 2.4GHz, local mesh radio network, D4i, local setting and operation with USB stick, by daylight, by movement, manual, by time, by timer, by weekday, via API, optionally via radio push button, 1 PIR movement sensor, daylight sensor, temperature sensor, inclination sensor, PIR movement sensor, brightness sensor, radio, 2.4GHz, protection rating (complete): IP66, certification: CE, packaging unit: 1 piece

IP 66 CE

Wt. (kg): 0.1  
GTIN (EAN): 4058352450178

Order No.: 5EA40EH01 | GTIN (EAN): 4058352450178

Detailed technical description: SConWi,SmartPlugMotionHigh



#### Key data

- Product type: sensor
- Product name: SITECO Connect Wireless
- Order No.: 5EA40EH01

#### Lighting technology | Lamps | Control gear

#### Component 1

#### Operating device:

- Control: D4i, Smart Interface below

#### Certificates, Standards

- Protection rating: IP66
- Temperature range (operation): -40..+85°C
- Standard: according to Zhaga book 18
- Certification, designation: CE

#### Material, Colour

- housing: plastic, transparent, colour-backed, dark grey
- Colour specification: dark grey

#### Mounting

- Mounting method, mounting location: screw fastening, to the luminaire
- Mounting height: 6..12m

#### Electrical connection

- Nominal voltage: 24V, DC

#### Dimensions, Weight

- Weight: 0.1kg

#### Inputs

#### PIR movement sensor

- Detection range: D max. 18m



Y axis

**Order No.:** 5EA40EH01

**Dimensions:** SConWi, Sma

<b>Mounting height</b>	<b>X axis</b>	<b>Y axis</b>
7.0 m	11.9 m	12.4 m
8.0 m	13.6 m	14.2 m
9.0 m	15.3 m	15.9 m
10.0 m	17.0 m	17.7 m

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at [www.siteco.de](http://www.siteco.de))

Tolerances related to thermal, electrical and photometric data according to IEC 62722

Issued 22.12.2023 - Modifications and errors subject to change - Ensure that you always use the latest version -