

Order No.: 5EA40EL01 | GTIN (EAN): 4058352450208

Product description: SConWi,SmartPlugMotionLow



SITECO Connect Wireless Smart Plug Motion Low, Smart Interface below, installation type: screw fastening, installation location: to the luminaire, of plastic, voltage: 24V, voltage type: DC, 2.4GHz, local mesh radio network, D4i, local setting and operation with USB stick, by daylight, by movement, manual, by time, by timer, by weekday, via API, optionally via radio push button, 1 PIR movement sensor, daylight sensor, temperature sensor, inclination sensor, PIR movement sensor, brightness sensor, radio, 2.4GHz, protection rating (complete): IP66, certification: CE, packaging unit: 1 piece

IP 66 CE

Wt. (kg): 0.1
GTIN (EAN): 4058352450208

Order No.: 5EA40EL01 | GTIN (EAN): 4058352450208

Detailed technical description: SConWi,SmartPlugMotionLow



Key data

- Product type: sensor
- Product name: SITECO Connect Wireless
- Order No.: 5EA40EL01

Lighting technology | Lamps | Control gear

Component 1

Operating device:

- Control: D4i, Smart Interface below

Certificates, Standards

- Protection rating: IP66
- Temperature range (operation): -40..+85°C
- Standard: according to Zhaga book 18
- Certification, designation: CE

Material, Colour

- housing: plastic, transparent, colour-backed, dark grey
- Colour specification: dark grey

Mounting

- Mounting method, mounting location: screw fastening, to the luminaire
- Mounting height: 0..6m

Electrical connection

- Nominal voltage: 24V, DC

Dimensions, Weight

- Weight: 0.1kg

Inputs

PIR movement sensor

- Detection range: D max. 11m

Y axis



Order No.: 5EA40EL01

Dimensions: SConWi, Sma

| Mounting height | X axis | Y axis |
|------------------------|---------------|---------------|
| 5.0 m | 8.5 m | 8.8 m |
| 6.0 m | 10.2 m | 10.6 m |