

## Order No.: 51TR3J9 | GTIN (EAN): 4058352265192 Product description: Lic,trunk.rail,L4500,9x2.5<sup>2</sup>,bk



Licross®, trunking rail, of sheet steel, galvanised, coil coated, matt jet black (RAL 9005), length: 4.500 mm, width: 64 mm, height: 67mm, through-wiring: 9x 2.5mm², protection rating (complete): maximum IP64, depends on used inserts and accessories, insulation class (complete): insulation class I (protective earthing), certification: CE, UKCA, LABS conformity tested according to VDMA 24364:2018-05, packaging unit: 1 piece



Wt. (kg): 7.1

GTIN (EAN): 4058352265192





## Order No.: 51TR3J9 | GTIN (EAN): 4058352265192

## Detailed technical description: Lic,trunk.rail,L4500,9x2.52,bk



#### Key data

 Product type: trunking components group (TS)

Product name: Licross®Order No.: 51TR3J9

# Lighting technology | Lamps | Control gear

#### Component 1

#### Lamps:

- Supplement: halogen-free wiring

#### Certificates, Standards

- Protection rating: maximum IP64, depends on used inserts and accessories
- Insulation class: insulation class I (protective earthing)
- Supplement: LABS conformity tested according to VDMA 24364:2018-05
- Certification, designation: CE, UKCA

#### Material, Colour

- trunking rail: sheet steel, galvanised, coil coated, matt jet black (RAL 9005)
- Colour specification: matt jet black (RAL 9005)

### Mounting

- Mounting method, mounting location: suspended mounting, surfacemounted, to the ceiling
- Arrangement: single/continuous arrangement
- Supplement: only suitable for indoor use

#### **Electrical connection**

- Through-wiring: 9x 2.5mm<sup>2</sup>

## **Dimensions, Weight**

Length: 4500mmWidth: 64mmHeight: 67mmWeight: 7.1kg



# Order No.: 51TR3J9 | GTIN (EAN): 4058352265192

Dimensions: Lic,trunk.rail,L4500,9x2.52,bk

