

# Order No.: 59TP1CN0 | GTIN (EAN): 4058352957509 Product description: Lic-conn.comp.centr,L650,IP64,wh

Licross<sup>®</sup> connection compartment central, white; connection compartment central of sheet steel, galvanised, coated, with cable entry for six cables, Ø 8.5..13mm; 2x connector of steel, galvanised2x blank cover of PC/ABS, white; dimension: (LxWxH) = 650 x 64 x 67mm; for IP64 protection rating; insulation class: insulation class I (protective earthing); certification: CE, UKCA; packaging unit: 1 piece

(=) ( $\in$ 

Wt. (kg): 1.4 GTIN (EAN): 4058352957509

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 02.02.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -



## Order No.: 59TP1CN0 | GTIN (EAN): 4058352957509 Detailed technical description: Lic-conn.comp.centr,L650,IP64,wh

### Key data

- Product type: junction box
- Product name: Licross®
- Order No.: 59TP1CN0

### **Certificates, Standards**

- Protection rating: for IP64 protection rating
- Insulation class: insulation class I (protective earthing)
- Certification, designation: CE, UKCA

#### Material, Colour

- connection compartment central: sheet steel, galvanised, coated, white
- Colour specification: white
- connector: steel, galvanised, connector pre-assembled on trunking rail
- Quantity: 2 piece
- blank cover: PC/ABS, white
- Quantity: 2 piece
- Colour specification: white

### **Dimensions, Weight**

- Length: 650mm
- Width: 64mm
- Height: 67mm
- Weight: 1.4kg

It is mandatory that the assembly instructions must be observed when planning and installing the electrical installation (to be found at www.siteco.de) Tolerances related to thermal, electrical and photometric data according to IEC 62722 Issued 02.02.2024 - Modifications and errors subject to change - Ensure that you always use the latest version -